

CABLE ASSEMBLIES

POWER DISTRIBUTION

CONTROLS

WWW.POWERASSEMBLIES.COM

• LAS VEGAS, NV • BEND, OR • POMPANO BEACH, FL•

### 19 PIN ASSEMBLIES

PRODUCT SPECIFICATIONS

#### **OVERVIEW**

Power Assemblies' 19 pin, (6) circuit extensions are designed for use within the theatrical/motion picture industries and are durable enough for the entertainment rental markets. The PowerTEK™ lighting extensions incorporate industry-leading connectors and flexible cable. Mate-first, break-last grounding facilitates safety and performance. Field replaceable locking rings enable easy replacement.



THEATERS



STAGE PRODUCTIONS



STUDIO LIGHTING



ENTERTAINMENT





FLEXIBLE CABLE



OUTDOOR RATED



HEAT RESISTANCE





















## CABLE SPECIFICATIONS

LIGHTING CABLE

#### **TECHNICAL DATA**

Temperature Rating: 105 °C


Voltage: 600V AWG: 12,14

Conductors: 14, 19

#### **APPLICATIONS**

Stage Lighting Audio Portable/Remote Environments Industry Standard Connectors















## CABLE SPECIFICATIONS

SJOOW

#### **TECHNICAL DATA**

Temperature Rating: 90 °C

Voltage: 300V AWG: 12

Conductors: 3

#### **APPLICATIONS**


Portable Tools & Equipment Small Motors & Machinery OEM/MRO Applications OSHA VPP Safety Construction Site Power























# CONNECTOR SPECIFICATIONS

19 PIN



#### **PRODUCT DETAILS**

Screw Coupling Connector Ground First Connection Tulip or Retention Spring Pin Dual Ground Rings Body Ground Anti-Spinning System

#### **MATERIAL**

Insulating Sleeve: Plastic Contacts: Gold Plated Locking Rings: Rubber Coated



