



INNOVATIVE POWER SOLUTIONS

CABLE ASSEMBLIES           

POWER DISTRIBUTION           

CONTROLS           

[WWW.POWERASSEMBLIES.COM](http://WWW.POWERASSEMBLIES.COM)

• LAS VEGAS, NV • BEND, OR • POMPANO BEACH, FL •

# SPIDER BOX LOCKING ASSEMBLIES

## PRODUCT SPECIFICATIONS

### OVERVIEW

Our heavy-duty standard Spider Box Cables are constructed using UL Listed 6/4 SOOW Cable and California Style 50 Amp Locking Connectors & Plugs. This USA made product is constructed of True 6/4 SOOW Hard Use Rubber Cable and the highest quality CS6364-C & CS6365-C inline connectors.

CALIFORNIA STANDARD



INDUSTRIAL GRADE



FLEXIBLE CABLE



OUTDOOR RATED



HEAVY DUTY JACKET



INDUSTRIAL



MINING & CONSTRUCTION



TEMPORARY POWER



ENTERTAINMENT EQUIPMENT



GENERATOR CONNECTIONS



MOISTURE RESISTANT



FLORIDA  
(866)825-8525  
SALES@POWERASSEMBLIES.COM  
POWERASSEMBLIES.COM



LAS VEGAS  
(877)597-5787  
SALES@POWERASSEMBLIES.COM  
POWERASSEMBLIES.COM



# CABLE SPECIFICATIONS

SJOOW/SOOW

## TECHNICAL DATA

Temperature Rating: 105 °C

Voltage: 600V

AWG: 10, 12, 14, 16, 18

Conductors: 2, 3, 4, 5

## APPLICATIONS

Portable Tools & Equipment

Motor Leads

OEM/MRO Applications

Construction Site Power

Water Immersion Applications



CHEMICAL & ACID RESISTANT



TENSILE STRENGTH



EXTRA-FLEXIBLE STRANDING



UV RESISTANT



IMMERSION CAPABILITIES



ABRASION RESISTANT



MOISTURE & OIL RESISTANT



FLORIDA  
(866)825-8525  
SALES@POWERASSEMBLIES.COM  
POWERASSEMBLIES.COM



LAS VEGAS  
(877)597-5787  
SALES@POWERASSEMBLIES.COM  
POWERASSEMBLIES.COM



# COMPONENT SPECIFICATIONS

## LOCKING PLUG & CONNECTOR



HEAT  
PERFORMANCE



SUPERIOR  
STRENGTH



ERGONOMIC  
DESIGN



STRAIN  
RELIEF



CORROSION  
RESISTANT



INDUSTRIAL  
GRADE



PRO GRIP LOCK





### TECHNICAL DATA

Type: Locking Device  
AWG: #4  
Amperage Rating: 50A  
Voltage Rating: 125/250V, 250V  
Poles: 3P4W  
Deep, Tapered Wire Wells  
California Standard

### MATERIAL

Body: Glass-Filled Nylon  
Blades: Brass Alloy  
Contacts: Zinc Plated Brass Alloy  
Ground Shunt: Phosphor Bronze  
Cord Clamp: Modified Nylon



FLORIDA  
(866)825-8525  
SALES@POWERASSEMBLIES.COM  
POWERASSEMBLIES.COM



LAS VEGAS  
(877)597-5787  
SALES@POWERASSEMBLIES.COM  
POWERASSEMBLIES.COM

