

CABLE ASSEMBLIES

POWER DISTRIBUTION

CONTROLS

WWW.POWERASSEMBLIES.COM

• LAS VEGAS, NV • BEND, OR • POMPANO BEACH, FL•


PIN & SLEEVE ASSEMBLIES

PRODUCT SPECIFICATIONS

OVERVIEW

WATERTIGHT

Power Assemblies PowerTEK™ IEC Pin & Sleeve extensions, tails, and adapters are manufactured with high-quality corrosion/impact-resistant components for lasting electrical performance. Water-tight sealing provides IP69K protection, so you can feel confident in the most severe wash-down environments.





















CABLE SPECIFICATIONS

SJOOW

TECHNICAL DATA

Temperature Rating: 90 °C

Voltage: 300V AWG: 12

Conductors: 3

APPLICATIONS


Portable Tools & Equipment Small Motors & Machinery OEM/MRO Applications OSHA VPP Safety Construction Site Power





















CABLE SPECIFICATIONS

TYPE W

TECHNICAL DATA


Temperature Rating: 90°C

Voltage: 2000V AWG: #8-250 Conductors: 1

APPLICATIONS

Portable Power Systems
Entertainment Industry
Lighting & Sound Systems
Mobile Communication
Temporary Power















CONNECTOR SPECIFICATIONS

PIN & SLEEVE



TECHNICAL DATA

Type: Pin and Sleeve AWG: #8 - #2 AWG (Ground): #10 - #2 AWG (Pilot): #12 - #16 Amperage Rating: 20-100A Voltage Rating: 600V

MATERIAL

Body: Nylon

Contacts: Nickel Plated Brass













